



INDEX MAPS.

T. 3 N. R. 10 E. 2nd Mer.



T. 4 N. R. 10 E. 2nd Mer.



The figures on the lines refer to the page.

Township N. 4. North Range N. 10 East 2^d Mer. Ind. 425
ch 2. lky

South Boundary var 5.50. E
Set post Cor. to Township 3 of 4 North,
Range 9 of 10 East, from which
a B. Oak 8 in. dia. bears S 87° 10' W 10 lbs. dist. 4
a Do. 9 " " " N 37° 35' " "
East On S. boundary of 31. T. 4. N. R. 10 E.
21.00 a Brook 3 lbs. wide course S.
22.50 a Beech 6 in. dia.
40.00 Set of. Sec. post, from which
a Beech 12 in. dia. bears S 3° E 6 lbs. dist. 4
a Maple 16 " " " N 52° E 31. " "
60.00 a Beech 16 " "
65.00 a Brook 5 lbs. wide course S.
80.00 Set post Cor. to Sec. 31. & 32. T. 4. N. R. 10 E, from which
a Walnut 18 in. dia. bears N 31° W 45 lbs. dist. 4
a Beech 12 " " " S 50° E 42 " "
Land here rich, timber, Oak, Hickory, Beech,
Walnut &c.

East On S. boundary of Sec. 32, T. 4. N. R. 10 E.
27.20 a Buckeye 24 in dia.
40.00 Set of. Sec. post, from which
a Buckeye 18 in. dia. bears N 41° W 29 lbs. dist. 4
an Elm 24 " " " S 71° E 33 " "
August 29th. 1806
61.50 a Sugar 8 in dia.
62.00 a Brook 10 lbs. wide course S.
80.00 Set post Cor. to Sec. 32, & 33, T. 4. N. R. 10 E, from which
a Hickory 10 in. dia. bears S 65° E 16 lbs. dist. 4
a Walnut 20 " " " S 32° W 47 " "
first 1/2 mile rich tidling land Sugar, Ash &c.
last 1/2 mile Ohio river bottom same timber

East On S. boundary of Sec. 33, T. 4. N. R. 10 E.
5.00 a Brook 40 lbs. wide course S.
7.80 a Sugar 10 in dia.

426 *Set R 10 E. 2^d. Mer. Indiana*

Ch. lks

- 30.00 a Gnt South
 32.00 a No. No.
 32.38 a Honey Locust 30 in. dia.
 40.00 Set q^r. Sec. post, from which
 a Maple 20 in. dia. bears N 74 W 20 lks. dist. 4
 a Box Elder 18 " " " S 48 E 15 " "
 42.00 a Brook 20 lks. wide Course N.
 45.00 a No. 20 " " " S.
 51.00 a Beech 24 in. dia.
 80.00 Set post Cor. to Sec. 33 & 34 T 4 N. R 10 E. from which
 a Poplar 16 in. dia. bears N 61 W 21 lks. dist. 4
 a Beech 24 " " " S 85 E 47 " "
 first rate bottom Land timbered with Sugar, Walnut, Ash.

East On S. boundary of Sec. 34 T 4 N. R 10 E.

- 40.00 Set q^r. Sec. post, from which
 a Sugar 12 in. dia. bears South 5 lks. dist. 4
 a No. 6 " " " N 29 E 19 " "
 48.90 a Beech 24 " "
 80.00 Set post Cor. to Sec. 34 & 35 T 4 N. R 10 E. from which
 a Beech 9 in. dia. bears S 76 W 16 lks. dist. 4
 a No. 30 " " " S 70 E 48 " "
 first port river bottom, timber Beech Sugar
 Buckeye - last level rich upland Sugar. Ash, Beech.

East On S. boundary of Sec. 35, T 4 N. R 10 E

- 12.90 a Buckeye 12 in. dia.
 23.20 a Beech 24 " "
 40.00 Set q^r. Sec. post, from which
 a Beech 16 in. dia. bears N 76 W 30 lks. dist. 4
 a Buckeye 12 " " " S 50 E 28 " "
 48.00 a Brook 3 lks. wide Course N. W. kept up it -
 55.00 leave the brook Course N.
 55.90 a Sugar tree 6 in. dia.
 80.00 Set post Cor. to Sec. 35 & 36, T 4 N. R 10 E. from which
 a Sugar 5 in. dia. bears S 81 W 24 lks. dist. 4

427

Sp N R 10 E. 2nd Mer. Indiana

ch² lks
 a Sugar 12 in. dia. bears N 79 E 35 lks. dist. &
 first 1/2 mile rich bottom, Sugar Beech Ash & oak.
 1/2 mile part bottom & part very hilly timber same.

East On S. boundary of Sec. 36, T4 N. R 10 E.

10.00 a Brook 3 lks. wide Course S. W.

26.30 a Beech 18 in. dia.

40.00 Set of Sec. post, from which
 a Beech 70 in. dia. bears N 43 E 11 lks. dist. &
 a No. 36 " " " N 75 W 37 " "

55.00 a Brook 4 lks. wide Course S. E.

66.00 a No. 4 " " " S.

80.00 Set post Cor. to Townships 3 & 4 North, of
 Ranges 10 & 11 East, from which
 a Gum 14 in. dia. bears S 26 W 11 lks. dist. &
 an Ash 14 " " " N 6 E 12 " "
 20 lks. of 1st 1/2 mile steep hill side residue level
 last 1/2 mile rich hill, timber Sugar Ash, Beech
 Walnut &c.

East Boundary. var 5° 50' E.

North On E. boundary of Sec. 36

18.00 a Brook 3 lks. wide Course W.

28.00 a Beech 16 in. dia.

40.00 Set of Sec. post, from which
 a Beech 15 in. dia. bears S 86 E 53 lks. dist. &
 a No 16 " " " N 38 W 40 " "

80.00 Set post Cor. to Sec. 25 & 36, from which
 a Beech 24 in. dia. bears N 43 W 41 lks. dist. &
 a No. 18 " " " N 27 E 47 " "
 Over 1st rate land, timber Sugar, Ash, Beech &c.

North On E. boundary of Sec. 25

6.00 a Spring Course W.

10.00 a Sugar 8 in. dia.

27.50 a Poplar 50 " "

428

T4 N R10 E. 2^d. Mer. IndianaCh^d. lks

- 40.00 Set of. See. post, from which
a Beech 14 in. dia. bears N 24 E 10 lks. dist. 4
a Walnut 30 " " " S 71 W 25 " "
- 56.20 a Mulberry 12 " "
- 64.00 a Sugar 16 " "
- 72.00 a Brook 8 lks. wide Course N.W.
- 80.00 Set post Cor. to Sec. 24 & 25, from which
a Beech 6 in. dia. bears N 47 E 6 lks. dist. 4
a Do. 7 " " " S 67 W 10 " "
- Generally level rich land Sugar, Ash, Poplar &c.

September 6th. 1806

North On E. boundary of Sec. 24

- 12.96 a Poplar 48 in dia.
- 23.20 a Sugar 14 " "
- 40.00 Set of. See. post, from which
a Beech 48 in. dia. bears N 25 W 5 lks. dist. 4
a Do. 6 " " " S 12 E 16 " "
- 50.70 a Beech 16 " "
- 68.00 a Brook 3 lks. wide course W.
- 80.00 Set post Cor. to Sec 13 & 24, from which
a Beech 16 in. dia. bears East 36 lks. dist. 4
a Poplar 36 " " " N 85 W 34 " "
- Level rich Land - timber Beech Sugar &c.

North On E. boundary of Sec. 13

- 14.80 a Poplar 36 in dia.
- 31.00 a W. Oak 30 " "
- 33.00 a Spring Course E.
- 40.00 Set of. See. post, from which
a Linn 18 in. dia. bears S 24 E 11 lks. dist. 4
a W. Oak 36 " " " N 87 W 23 " "
- 56.00 a Spring Course E.
- 59.80 a Poplar 40 in. dia.
- 80.00 Set post Cor. to Sec. 12 & 13, from which
a W. Oak 50 in. dia. bears N 11 E 34 lks. dist. 4

429

T^h N R 10 E. 2^d Mer. Indiana

Ch^r. 1st 1st

a Hickory 12 in dia. bears South 45 lbs. dist.
 Level rich good Land timber Oak Sugar Poplar &c.

North On E. boundary of Sec. 12

34.80 a Beech 16 in. dia.

40.00 a Dogwood 6 in. dia. for q^r. Sec. Cor. from which
 a L^ynn 14 in. dia. bears N 75 E 36 lbs. dist. &
 a Dogw. 5 " " " S 56 W 30 " "

53.14 a Poplar 36 " "

80.00 Set post Cor. to Sec. 1 & 12, from which
 a Poplar 20 in. dia. bears S 77 E 10 lbs. dist. &
 a Dogwood 6 " " " S 42 W 11 " "

Level rich Land timber Beech Oak Beech Poplar

North On E. boundary of Sec. 1

11.87 a Br. Oak 18 in. dia.

31.70 a Sugar 12 " "

40.00 Set q^r. Sec. post. from which
 a Hickory 12 in. dia. bears N 42 W 35 lbs. dist. &
 a Do. 12 " " " S 9 E 27 " "

57.80 a Sugar 10 " "

58.00 A. Creek 40 lbs. wide Course E.

67.50 a Brook 3 " " " E.

80.00 Set post Cor. to Townships 4 & 5 North, of
 Ranges 10 & 11 East, from which
 a Br. Oak 24 in. dia. bears N 46 W 16 lbs. dist. &
 a Do. 16 " " " S 35 E 42 " "
 first 1/2 mile generally good Land, last 1/2 mile
 hilly poor land timber Oak Beech Dogwood &c.

North Boundary. Rand^m. line

West On S. boundary of Sec. 36. T^h N. R 10 E.

3.50 a Brook 3rd wide Cr. S.

18.00 a Do. 3 " " " S.

39.00 a Do 10 " " " S E.

40.00 Set temp^y. q^r. Sec. post

430

T4 N. R10 E, 2^d. Mer. Indianach. 2^{ly}

55.00 a good Spring on S. side of the line running S.E.

80.00 Let tempy. Cor. to Sec. 35 & 36

Good Land well watered & well timbered with
Oak, Poplar, Ash &c. Sept. 8th 1806

West On S. boundary of Sec. 35, T5 N. R10 E

40.00 Let tempy. q. Sec. post

70.00 a Brook 3^{ly} wide C.S. N.W.

80.00 Let tempy. Cor. to Sec. 34 & 35

Flat land, timber Oak, Beech &c

West On S. boundary of Sec. 34, T5 N. R10 E

4.00 a Brook 3^{ly} wide C.S. N.

40.00 Let tempy. q. Sec. post

80.00 Let tempy. Cor. to Sec. 33 & 34

Level land, timber Beech, Oak, Poplar &c

West On S. boundary of Sec. 33, T5 N. R10 E.

18.00 a Brook 10^{ly} wide C.S. S.

40.00 Let tempy. q. Sec. post

80.00 Let tempy. Cor. to Sec. 32 & 33

Flat land, Beech, Oak, Gum &c.

West On S. boundary of Sec. 32, T5 N. R10 E.

40.00 Let tempy. q. Sec. post

52.00 a Brook 10^{ly} wide C.S. S.

80.00 Let tempy. Cor. to Sec. 31 & 32

Land timber &c. Same as on the last mile

West On S. boundary of Sec. 31, T5 N. R10 E

21.00 a Brook 10^{ly} wide C.S. South

40.00 Let tempy. q. Sec. post

80.00 Let tempy. Down Corner

Land timber &c. Same as on the last mile

True Line

var 5.50' E.

431

T4 N. R10 E. 2^d Mer. Indiana

ch. 2th

East On S. boundary of Sec. 31, T5 N. R10 E.

40.12 Set of Sec. post, from which
a Beech 24 m. dist. bray N51°W27th dist. of
a Do. 24 " " " S42°E28 " "

80.25 Set post Cor. to Sec. 31 & 32, from which
a Beech 20 m. dist. bray N23°W9th dist. of
a Do. 16 " " " S18°E11 " "

East On S. boundary of Sec. 32, T5 N. R10 E

40.00 Set of Sec. post, from which
a Beech 14 m. dist. bray S30°E22th dist. of
a Gum 24 " " " S72°W36 " "

80.00 Set post Cor. to Sec. 32 & 33, from which
a Gum 18 m. dist. bray S12°E4th dist. of
a Do. 15 " " " S42°W16 " "

East On S. boundary of Sec. 33, T5 N. R10 E.

40.00 Set of Sec. post, from which
a Beech 20 m. dist. bray S50°E24th dist. of
a Poplar 36 " " " N26°W39 " "

80.00 Set post Cor. to Sec. 33 & 34, from which
a Poplar 30 m. dist. bray N65°W22th dist. of
a Beech 9 " " " S22°E25 " "

East On S. boundary of Sec. 34, T5 N. R10 E

40.00 Set of Sec. post, from which
a Hickory 14 m. dist. bray S6°E15th dist. of
an Elm 12 " " " S57°W19 " "

80.00 Set post Cor. to Sec. 34 & 35, from which
a W. Oak 36 m. dist. bray East 5th dist. of
a Beech 12 " " " S12°E27 " "

East On S. boundary of Sec. 35, T5 N. R10 E

40.00 Set of Sec. post, from which
a Beech 8 m. dist. bray S8°E6th dist. of
a W. Oak 16 " " " S19°E17 " "

T^h N. R 10 E. 2^d. Mer. Indianach² lth

80.00 At post Cor. to Sec¹. 35 of 36, from which
a W. Oak 50 m. dist. bearing South 3⁴ W. dist^y
a Do. 12 " " " N 27 W 23 " "

East On S. boundary of Sec. 36, T^h S. R 10 E

40.00 At q^r. Sec. post, from which
a Sugar 6 m. dist. bearing N 19 E 4th dist^y
a Do. 12 " " " N 25 W 23 " "

80.00 to the Corner of Township 4 of 5 North, of
Range 10 of 11 East

West Boundary var 5.50 E.

North On E. boundary of Sec. 36, T^h N. R 9 E.

16.50 at Brook 6th wide cor. S. W.

18.00 a Do. 3 " " " S. W.

26.00 a Beech 12 m. dist.

40.00 At q^r. Sec. post, from which
a W. Oak 30 m. dist. bearing South 2⁴ W. dist^y
a Dogw^d. 6 " " " N 22 W 17 " "

67.30 a W. Oak 16 " "

80.00 At post Cor. to Sec¹. 25 of 36, from which
a Hickory 10 m. dist. bearing N 63 W 8th dist^y
a W. Oak 24 " " " N 78 E 28 " "
Level Good land, timber Oak, Beech, Gum &c.

North On E. boundary of Sec. 25, T^h N. R 9 E.

16.00 at Brook 3th wide Corner W.

20.25 a Maple 12 m. dist.

40.00 At q^r. Sec. post, from which
a W. Oak 36 m. dist. bearing N 39 W 28th dist^y
a Maple 12 " " " N 87 E 18 " "

67.00 a Do. 14 " "

80.00 At post Cor. to Sec¹. 24 of 25, from which
a W. Oak 16 m. dist. bearing N 34 E 22th dist^y
a Gum 16 " " " N 12 W 26 " "
Level wet land, Beech, Maple, Gum &c.

Lat R 10 E. 2nd Mer. Indiana

433

chth North On E. boundary of Sec. 24, T4N. R9E.

12.00 an Elm 24 in. dia.

12.50 a Brook 8th, wide Course W.

40.00 Set of Sec. post, from which

a Beech 12 in. dia., bray N 17 E 6th, dist of

a No. 14 " " " N 5 E 31 " "

52.00 a Brook 4th, wide Course W.

64.40 a Gum 16 in. dia.

77.50 a Brook 10th, wide C. S. W.

80.00 Set post Cor. to Sec. 13 & 24, from which

a Beech 24 in. dia., bray N 83 E 15th, dist of

a No. 18 " " " West 46 " "

Land timber &c. same as on last mile

North On E. boundary of Sec. 13, T4N. R9E.

23.30 a Beech 30 in. dia.

40.00 Set of Sec. post, from which

a Maple 12 in. dia., bray N 23 E 40th, dist of

a W. Oak 30 " " " N 65 W 47 " "

63.25 a No. 16 " " " "

80.00 Set post Cor. to Sec. 12 & 13, from which

a Beech 9 in. dia., bray N 26 E 18th, dist of

a Poplar 36 " " " N 7 W 26 " "

Land timber &c. same as on the last mile

North On E. boundary of Sec. 12, T4N. R9E.

6.00 a Brook 10th, wide Course W.

9.00 a Creek 50 " " " S. W.

27.40 a Poplar 36 in. dia.

40.00 Set of Sec. post, from which

a Beech 14 in. dia., bray N 88 W 10th, dist of

a No. 12 " " " N 72 E 21 " "

80.00 Set post Cor. to Sec. 11 & 12, from which

a Beech 14 in. dia., bray N 55 W 3th, dist of

a No. 10 " " " N 72 E 22 " "

Level rich land, Beech, Oak, Poplar &c. last 1/2

434

Twp R10 E. 2. Mer. Indiana

ch. 1/2

mile flat land, timber Beech Maple &c.
September 9th 1806

North On E. boundary of Sec 1, T4 N. R9 E.

17.60 a Maple 36 in. dia.

40.00 Set q. Sec. post, from which

a W. Oak 36 in. dia., bear N 13 W 24 th. dist. 7

a Do. 36 " " " S 25 W 43 " "

43.00 a Brook 3 th., wide cor. N. E.

49.00 a Do. 10 " " " S. W.

57.00 a Do. 4 " " " S. W.

79.00 Intersected the Rand. line 25 th. W. of temp. post

80.00 Set post Cor. to Township 4 of 5 North, of

Range 9 of 10 East, from which

a Beech 16 in. dia., bear N 20 E 38 th. dist. 7

a Do. 16 " " " S 75 W 28 " "

Level wet land timber Beech, Maple &c

Surveyed in 1806 by

Alexander Holmes,

Deputy Surveyor

Subdivision.

North Between Sec. 35 & 36

15.50 a Mulberry 15 in. dia.

30.00 a Brook 13 th., wide course N 67 W.

40.00 Set q. Sec. post; from which

a Sugar 12 in. dia. bears N 69 E 33 th. dist. 4

a Do. 25 " " " S 55 W 64 " "

72.00 a Beech — " "

80.00 Set post Cor. to Sec. 35, 26, 35 & 36, from which

a Lym 18 in. dia. bears N 81 E 10 th. dist. 4

an Ash 20 " " " N 87 W 40 " "

first 1/2 mile hilly land timber Beech & Ash &c. last
half same a Brook 25 th. wide course S 50 W.

Lot. N.E. 2nd Mer. Indiana

435

Ch. lly

East On Random between Sec. 25 & 36

30.00 a Brook 10 lbs. wide course S.E.

40.00 Set temp. q. Sec. post.

58.00 a Brook 8 lbs. wide course E.

60.00 a No. 15 " " " S. 20 W.

79.81 Intersected the E. boundary 193 lbs. S. of post.

Land Hilly - timber Beech Poplar - Spice undergrowth

West Connected between Sec. 25 & 36

17.00 a Brook 15 lbs. wide course S 29 W.

24.50 a No. 8 " " " S. E.

25.00 an Ash 8 in. dia.

39.90 Set q. Sec. post, at average dist. from which
a Beech 15 in. dia. bears S 7 W 25 lbs. dist. &

a No. 12 " " " N 17 W 30 " "

55.35 a Beech 26 " "

79.81 to Section Corner

North Between Sec. 25 & 26

81.00 a Walnut 15 in. dia.

9.00 a Brook course West.

12.25 a No. " S. 25 W. a perpendicular fall 12 feet

33.00 a Brook course S. W.

35.00 a No. " S. 10 W.

40.00 Set q. Sec. post, from which

a Sugar 3 in. dia. bears N 71 W 18 lbs. dist. &

a Dogw. 4 " " " S 79 E 20 " "

65.00 an Elm 11 " "

79.00 a Brook 30 lbs. wide course S. W.

80.00 Set post Cor to Sec. 23, 24, 25 & 26, from, from
a Beech 24 in. dia. bears S 28 W 30 lbs. dist. &

a Sugar 14 " " " N 57 E 28 " "

Land Hilly timber Beech Ash Walnut &c. undergrowth
Spice Dogwood &c.

East On Random between Sec. 24 & 25

Twp 12 N E. 2^d Mer. IndianaCh. 1st 1/2 mi

10.00 a Brook 30 lks. wide S.W.

40.00 Let tump. gr. Sec. post a brook N.

56.00 a Brook 1 lks. wide Cr. S.W.

74.00 a do — " " " S.W.

79.93 Intersected E. boundary 60 lks. N. of post
This mile hilly rich, timber Beech, Sugar,
Ash &c. underg^g, Spruce. Soil rich

West Connected between Secs. 24 & 25

5.00 a Brook 10 lks. wide, S.W.

20.00 a Beech 6 mi. dist.

25.00 a Lynn 10 " "

39.96 Let gr. Sec. post at cor. dist. from which
a Sugar 6 mi. dist. by N 10 E 25 lks. dist. of
a do. 4 " " " N 10 W 7 " "79.93 to Sec. Corner Oct. 22nd 1806

North Between Secs. 34 & 35

6.00 a Sugar 6 mi. dist.

8.00 a Creek 75 lks. wide Cr. S.W.

40.00 Let gr. Sec. post, from which
a W. Oak 12 mi. dist. by N 58 W 20 lks. dist. of
a Sugar 4 " " " East 2 " "

46.00 a Beech 30 " " a cabin by N 75 W

80.00 Let post cor. to Secs. 26, 27, 34 & 35, from which
a Beech 24 mi. dist. by N 19 W 29 lks. dist. of
a Poplar 20 " " " S 30 E 16 " "
Beech, Ash &c. hilly land underg^g, Spruce.
last 1/2 mile same Beech, W. Oak, Poplar &c

East On Land between Secs. 26 & 35

28.50 a Creek 50 lks. wide Course S.

40.00 Let tump. gr. Sec. post

50.00 a Creek 75 lks. wide Cr. S.W.

65.25 a brook 10 " " " N.

80.00 Intersected the N of S. line 100 lks. N. of post

Lt. R. C. H. E. 2^d Mer. Indiana

ch. l. lky
Land hilly, stony, soil rich, timber Ash & Beech
undergth. Spruce &c.

Not Corrected between Sec. 26 & 35

3.00 a Walnut 25 in. diam. & a Brook 10 ft. wide N.M.

30.00 a Creek 75 lbs wide Course S.W.

40.00 Let of Sec. post at average dist. from which
and Ash 12 mi. dist. by S.W. 27 ly. dist. of
at Beech 7 " " " N 8 E 10 "

40.20 an Elm 20 " "

52.50 a Brook 50 lhy. wide Course S.

80.00 to See Corner

North River, Dec. 26 & 27

12.25 an Ash 40 m. diam.

34.00 a Dec 20 " of a house by NW/4.

40.00 Let gr. See post, from which
a Beech 20 in. dia., bray S20 W 6 Ch. dist. of
a do. 20 " " " N77 E 40 " "

40.60 at Brook Cl^y, wide C.S. & of farmhouse tray S83E.

80.00 Lt post Co. to Sec. P. 22, 23, 26 & 27, from which
at Beech 7 m. dist. from 183rd E. M. Ch. dist. of
a Lynn 15 " " " 30 W 10 " "

Land level, Beech, Poplar, winding Spruce &c

East On Randm. between Secs. 23 & 26

35.00 a Prairie North

40.00 Lb temp. of. See. post

44.00 a cabin tray N.

62.25 at Brook - 1/2 mi. wide Course S. E.

79.75 Intersected N of S. line 1/4 Sec. S. of post

First $\frac{1}{2}$ mile Bully Beach &c. last $\frac{1}{2}$ mile

wood, Soil rich, Beech, Poplar &c. and ^{the} Spruce
Pawpaw &c.

West Connected between Dec. 23 & 26

S. N. R. W. E. D. Mer. Indiana

ch. lhy

2.00 a Hackberry 18 m. dist.

25.00 a Beech 12 " "

39.87 1/2 Set of gr. See. post, at average dist. from which
a Beech 40 m. dist. by way N. E 25 lhy. dist. of
a Loc. 15 " " " S 50 W 14 " "

79.75 to Sec. Corner Oct. 23, 24, 25. 1806 (Sick)

North Between Sec. 13 & 24

7.25 a Brook 7 lhy. wide Course S. E.

8.00 a Sugar 18 m. dist.

40.00 Set of gr. See. post, an Ash 3 m. dist. from which
an Elm 4 m. dist. by way S 65 E 7 lhy. dist. of
a Oak 30 " " " N 49 1/2 W 34 " "

41.00 a Walnut 24 " "

72.00 a Brook 12 lhy. wide Course E. a fall of 60 ft.

80.00 Set post Cor. to Sec. 13, 14, 23 & 24 from which
an Ash 12 m. dist. by way S 23 1/2 E 23 lhy. dist. of
a Sugar 10 " " " N 23 1/2 W 31 " "* A water Course 15 lhy. wide S 65 E - 25 lhy. E. of this
Corner is a fall of 40 feet.

First 1/2 mile hilly, timber Beech, Poplar &c.

last 1/2 mile hilly & stony, timber same, under
fine Soil rich

East On Road between Sec. 13 & 24

6.75 a Brook 12 lhy. wide C. S. E.

4.00 a Bank of rocks 80 feet high

40.00 Set temp. gr. See. post

46.00 a Brook 25 lhy. wide C. S.

78.43 Intersected E. boundary 39 lhy. S. of post
Sand hilly & rich, timber Beech, Ash, Poplar
&c. under fine Soil, prairie &c.

West Corrected between Sec. 13 & 24

31.57 a Brook 25 lhy. wide C. S.

39.21 Set of gr. See. post at average dist. from which

439

T^h N^o 1 E 10 E. 2^d. Mer. Indiana

ch. 1st 1/2

- a Beech 24 in. dia. brang N 68 W 18 th. dist. of
 a Do. 6 " " " South 35 "
 74.73 a Beech 14 " " of Cliff of rocks 80 feet high
 77.68 a Brook 1/2 th. wide Course S. E.
 78.43 to Sec. Corner

North Between Secs. 13 & 14 Oct. 28th 1806

- 21.00 a Brook 10 th. wide Course S. E.
 22.00 a Do 10 " " " S. E.
 40.00 Let q^r. Sec. post, from which
 a Beech 11 in. dia. brang East 30 th. dist. of
 a W. Oak 30 " " " S 85 W 14 " "
 50.00 a Beech 20 " "
 80.00 Let post Cor. to Secs. 11, 12, 13 & 14, from which
 a W. Oak 40 in. dia. brang S 70 W 10 th. dist. of
 a Poplar 35 " " " S 70 E 4 " "
 Land level & rich, timber Beech Oak, Poplar &c
 underg^o. Green River

East On Rand. between Secs. 12 & 13

- 41.00 Let stump q^r. Sec. post
 77.75 Intersected E. boundary 42 th. S. of post
 Land timber &c. same as on last mile

West Corrected between Secs. 12 & 13

- 6.35 a Hickory 14 in. dia.
 38.87 Let q^r. Sec. post at average dist. from which
 a Beech 25 in. dia. brang S 68 1/2 W 21 th. dist. of
 a Do. 6 " " " N 50 E 8 " "
 60.00 a Brook 3 th. wide Course N. E.
 60.25 an Elm 12 in. dia.
 77.75 to Sec. Corner

North Between Secs. 11 & 12

- 20.00 a Brook 3 th. wide Course N. E.
 27.00 a Beech 17 in. dia.

T. S. R. W. E. D. Mer Indiana

Ch. 2. 1/2

- 40.00 Set q. Sec. post, from which
a _____ 10 in. dia. bear N 65° W 25 lb. dist. 4
a Poplar 25 " " " East 13 " "
- 50.00 a Brook 10 lb. wide Cr. East
- 80.00 Set post Cor. to Sec. 1, 2, N of 12, from which
a W. Oak 20 in. dia. bear N 76° E 23 lb. dist. 4
a Poplar 48 " " " N 45° W 30 " "
- First 1/2 mile thick brush, timber Beech - last
1/2 mile level rich, timber ash, Beech, Oak
Hickory &c. undergth Spruce & Pawpaw

East On Roadth between Sec. 1 & 12

- 40.00 Set temp. q. Sec. post.
- 44.50 a Brook 15 lb. wide Course E.
- 50.50 a No. 18 " " " N.
- 77.00 Intersected the E. boundary 27 lb. S. of post.
Land Hilly timber Poplar &c. undergth green briars

West Connected between Sec. 1 & 12

- 27.00 a Brook 18 lb. wide Course N.
- 38.10 a W. Oak 20 in. dia.
- 38.50 Set q. Sec. post. at average dist. from which
an Ash 3 in. dia. bears N 33° E 8 lb. dist. 4
a Red bud 4 " " " S 80° W 3 " "
- 77.00 To Section Corner

North Between Sec. 1 & 2. Oct. 29th 1806

- 4.05 a Poplar 60 in. dia.
- 35.00 a Stream 17 lb. wide Course E.
- 40.00 Set q. Sec. post, from which
an Ash 8 in. dia. bears N 63° E 7 lb. dist. 4
a Hickory 12 " " " N 22° W 11 " "
- 81.03 Intersected the N. boundary 307 lb. E. of post.
Set post Cor. to Sec. 1 & 2, from which
a W. Oak 12 in. dia. bears N 22° W 45 lb. dist. 4
a S. Oak 20 " " " S 25° E 14 " "

441
 ch. 24
 S. 1/2 N. 1/2 E. 2. Mer. Indiana
 Good farming Land high. W. & B. Oak, undergth Spruce &c.

North Between Secs. 22 & 23
 8.00 a Gum 20 in. dia.
 40.00 Set of Sec. post. from which
 a Beech 15 in. dia. bears N 80 E 32 lks. dist. &
 a No. 17 " " S 30 W 26 " "
 80.00 Set post Cor. to Secs. 14, 15, 22, & 23, from which
 a Beech 15 in. dia. bears N 51 E 23 lks. dist. &
 a Hickory 6 " " S 51 W 5 " "
 Land rich & level timber Beech Poplar &c.

East On Random between Secs. 14 & 23
 40.00 Set temp. of Sec. post.
 76.00 a Brook 10 lks. wide course S. 85 E.
 79.20 Intersected the N. & S. line 5 lks. N. of post.
 Land timber same as last mile undergth Spruce

West Connected between Secs. 14 & 23
 39.60 Set of Sec. post. at average dist. from which
 a Beech 12 in. dia. bears N 24 1/2 E 18 lks. dist. &
 a No. 12 " " S 13 W 14 " "
 50.00 a B. Oak 15 " "
 79.20 to Section Corner

North Between Secs. 14 & 15
 14.20 a W. Oak 36 in. dia.
 40.00 Set of Sec. post. from which
 a Beech 10 in. dia. bears S 88 E 17 lks. dist. &
 an Elm 12 " " N 86 W 28 " "
 80.00 Set post Cor. to Secs. 10, 11, 14 & 15, from which
 a Beech 8 in. dia. bears N 49 1/2 W 11 lks. dist. &
 a No. 6 " " S 49 1/2 E 55 " "
 Land level Beech Poplar &c.

East On Random between Secs. 11 & 14.

442

S. N. W. E. 2^d Mer. Indiana.

ch. l. by

40.00 Set temp. q. Sec. post.

65.25 a Brook 5 lks. wide course N. W.

79.00 Intersected the N. & S. line 6 lks. N. of post.

Land level timber Beech W. & B. Oak, underg^d. Spice
last 1/2 mile broken timber Same -

West Connected between Sec. 11 & 14

5.36 a W. Walnut 15 in. dia.

8.00 a Brook course N. W.

39.50 Set q. Sec. post, at average dist. from which
a Beech 10 in. dia. bears N 60 W 40 lks. dist. &

a No. 15 " " " S 68 1/2 E 16 " "

79.00 to Section Corner

North Between Sec. 10 & 11

12.00 a Beech 19 in. dia.

12.25 a Brook course W. & Deer Lick

40.00 Set q. Sec. post, from which
a Maple 10 in. dia. bears S 43 1/2 E 28 lks. dist. &

a Gum 10 " " " N 45 W 29 " "

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
a W. Oak 48 in. dia. bears N 25 E 8 lks. dist. &

a Hickory 30 " " " S 49 W 12 " "

Land rich timber Beech, W. B. Oak, Box Elder, Sugar,
Ash &c. Oct. 31st 1806

East On Prandom Between Sec. 2 & 11

40.00 Set temp. q. Sec. post.

78.37 Intersected the N. & S. line 26 lks. N. of post.

Land level Beech &c.

West Connected between Sec. 2 & 11

11.70 a Poplar 72 in. dia.

39.18 Set q. Sec. post, at average dist. from which

a Beech 20 in. dia. bears S 5 W 31 lks. dist. &

a No. 6 " " " N 44 E 30 " "

St. No. 2nd Mer. Indiana

443

Ch. lky

78.37 to Section Corner

North Between Sec. 2 & 3

15.00 a Brook 8 lks. wide course N.W.

40.00 Set of. Sec. post. from which

a Beech 8 in. dia. bears S 55 $\frac{1}{2}$ E 27 lks. dist. &

a No. 6 " " " S 88 E 20 " "

55.10 a W. Oak 40 " "

80.75 Intersected the N. boundary 425 lks. E. of post.

Set post Cor. to Sec. 2 & 3, from which

a Poplar 40 in. dia. bears S 56 E 13 lks. dist. &

a W. Oak 40 " " " N 51 W 29 " "

Land level Beech Poplar Oak &c.

November 1st 1806

North Between Sec. 34 & 33.

19.50 a Brook 8 lks. wide course W.

38.50 a Cabin N 88 $\frac{1}{4}$ E.

40.00 Set of. Sec. post, from which

a Beech 11 in. dia. bears N 75 $\frac{1}{2}$ E 25 lks. dist. &

a No. 14 " " " S 43 W 8 " "

42.50* a Beech 17 " "

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which

a Beech 16 in. dia. bears S 35 E 27 lks. dist. &

a No. 30 " " " N 43 W 15 " "

* the same Cabin bears S 47 E.

first $\frac{1}{2}$ mile over hilly ground - last $\frac{1}{2}$ mile
broken Land Beech Poplar Oak &c. undergrowth
Spice - Land rich -

East On Random between Sec. 27 & 34

38.00 a Creek 50 lks. wide course S.

40.00 Set temp. of. Sec. post.

80.00 Intersected the N. & S. line 100 lks. S. of post

Land hilly Ash B. & W. Oak &c.

444 *Set N. P. M. E. D. Mer. Indiana*

Ch. Ch.

West Corrected between Sec. 27 & 34.

20.00 a Poplar 120 in. dia.

40.00 Set q. Sec. post. at average dist. from which
a Beech 5 in. dia. bears S 77° W 5 lbs. dist. 4
a No. 7 " " " North 22 " "

42.00 a Brook 50 lbs. wide course S.

80.00 to Section Corner

North Between Sec. 27 & 28.

8.00 a Lym 12 in. dia.

8.10 a Brook 10 lbs. wide course S. W.

40.00 Set q. Sec. post. from which
an Ash 12 in. dia. bears S 75° E 10 lbs. dist. 4
a Beech 10 " " " S 86° E 8 " "

80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which
a Beech 25 in. dia. bears N 67° W 22 lbs. dist. 4
a No. 10 " " " East 5 " "

Land low & rich timber Beech, Sugar, Poplar,
undergrowth Spice &c.

East On Prandom between Sec. 22 & 27

40.00 Set temp. q. Sec. post.

80.00 Intersected the N. & S. line 100 lbs. N. of post.
Level rich land timber Beech Poplar

West Corrected between Sec. 22 & 27

40.00 Set q. Sec. post. at average dist. from which

12.17 a Beech 18 in. dia. bears — 31 E 20 lbs. dist. 4
a No. 10 " " " N 38° E 4 " "

42.57 a Beech 16 " "

80.00 to Section Corner

North Between Sec. 21 & 22

9.50 a Beech 36 in. dia.

17.00 a Brook 20 lbs. wide course W.

40.00 an Ash 40 in. dia. for q. Sec. post. from which

446

St. R. & E. 2^d. Mer. Indiana

Ch. l. l.

East On Random between Sec. 28 & 33

8.50 a perpendicular fall of water in a Brook 20 lks. wide 100 feet, rocks on each side nearly 100 feet below the falls. West.

40.00 Set temp. q. Sec. post.

80.00 Intersected the N. & S. line at the post.

Land broken and rich - timber Beech B. & W. Oak &c.

West Corrected between Sec. 28 & 33.

40.00 Set q. Sec. post at average dist. from which a Beech 36 in. dia. bears S 35 E 30 lks. dist. & a Do. 20 " " " N 31 W 10 " "

77.50 a Beech 30 " "

80.00 to Section Corner

North Between Sec. 28 & 29

10.19 a Poplar 48 in. dia.

40.00 Set q. Sec. post. from which a W. Walnut 8 in. dia. bears S 63 E 18 lks. dist. & a Beech 7 " " " N 45 W 8 " "

54.00 a Brook 6 lks. wide Course W.

80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which a Beech 11 in. dia. bears N 48 W 7 lks. dist. & a Sugar 20 " " " S 87 E 28 " "

Land high and rich - timber Beech, Ash, Walnut, W. & B. Oak &c.

East On Random between Sec. 21 & 28

36.50 a Brook 6 lks. wide Course S. W.

40.00 Set temp. q. Sec. post.

80.00 Intersected the N. & S. line 12 1/2 lks. S. of post.

Land broken timber Beech &c. on first half - last 1/2 mile. High good rich land timber Beech, Ash, undergrowth Spice &c. Nov. 3rd 1806

West Corrected between Sec. 21 & 28

St. N. R. 10 E. 2^d. Mer. Indiana

447

ch^g l^y

- 3.00 a Brook course N. W.
 40.00 Set q^d. Sec. post. at average dist. from which
 a Beech 6 in. dia. bears S 38 W 29 l^h. dist. &
 a No. 5 " " " N 8 W 28 " "
 43.30 a Brook 6 l^h. wide Course S. W.
 75.00 a Beech 30 in. dia.
 80.00 to Section Corner

North Between Sec^s. 15 & 16

- 2.50 a W. Oak 30 in. dia.
 40.00 Set q^d. Sec. post. from which
 a Beech 20 in. dia. bears West 6 l^h. dist. &
 a No. 12 " " " S 72 E 17 " "
 50.00 a Brook 10 l^h. wide Course N. W.
 76.00 a No. 9 " " " West
 80.00 Set post Cor. To Sec^s. 9. 10. 15 & 16, from which
 a W. Oak 30 in. dia. bears N 30 W 4 l^h. dist. &
 a Beech 20 " " " S 25 E 40 " "
 Level ground - Beech W. & B. Oak - Soil rich

East On Randon between Sec^s. 10 & 15

- 40.00 Set the temp^y. q^d. Sec. post.
 48.50 a Brook 10 l^h. wide Course S. W.
 80.00 Intersected the N. & S. line 15 l^h. S. of post.
 over level Beech Land open woods.

West Connected between Sec^s. 10 & 15.

- 31.50 a Brook course S. W.
 40.00 Set q^d. Sec. post. at average dist. from which
 a Beech 6 in. dia. bears N 54 W 11 l^h. dist. &
 a No. 10 " " " S 34 W 11 " "
 41.73 a Beech 15 " "
 80.00 To Section Corner

North Between Sec^s. 9 & 10

- 5.50 a Brook 10 l^h. wide Course W.

448

S. N. P. C. E. 2. Mer. Indiana

ch. l. h.

8.00 a Poplar 30 in. dia.

20.00 a Gum 28 " "

40.00 Set of Sec. post. from which

a Beech 25 in. dia. bears S 45 E 21 l. h. dist. &

a No. 6 " " " N 43.30 W 14 " "

67.50 a Brook 8 l. h. wide Course N.

80.00 Set post Cor. to Sect. 3, 4, 9 & 10, from which

a Gum 28 in. dia. bears S 75 E 9 l. h. dist. &

a Beech 10 " " " S 74 1/2 W 26 " "

Land level Beech, W. & B. Oak &c.

East On Random between Sect. 3 & 10

40.00 Set temp. of Sec. post.

48.50 a Brook 8 l. h. wide Course N.

80.00 Intersected the N. & S. line 50 l. h. . d. of post.

very level Land Beech &c. Soil rich

West Connected between Sect. 3 & 10

31.50 a Brook 8 l. h. wide Course N.

40.00 Set of Sec. post. at average dist. from which

a Beech 10 in. dia. bears N 10 W 5 l. h. dist. &

a W. Oak 24 " " " S 30 E 25 " "

44.13 a Beech 20 " "

80.00 to Section Corner

North Between Sect. 3 & 4

31.20 a Beech 24 in. dia.

40.00 Set of Sec. post. from which

a Beech 10 in. dia. bears S 40 1/2 E 4 l. h. dist. &

a No. 8 " " " N 74 W 15 " "

56.00 a Brook 10 l. h. wide course N.

79.71 Intersected the N. boundary 348 l. h. E. of post.

Set post Cor. to Sect. 3 & 4, from which

a W. Oak 18 in. dia. bears N 20 E 12 l. h. dist. &

a No. 36 " " " S 30 W 10 " "

Land level Beech &c. Soil rich. Nov 4th 1806.

T. A. C. W. E. 2nd Mer. Indiana

449

ch. 1/4

North Between Sect. 20 & 21

7.25 a Brook 8 lks. wide course S. W.

39.50 a No. 6 " " " West

40.00 Set of. Sec. post. from which
a Sugar 6 in. dia. bears S 3 E 7 lks. dist. &
a No. 8 " " " North 8 " "

41.50 a Beech 20 " "

70.10 a Brook 15 lks. wide course W.

80.00 Set post Cor. to Sect. 20, 21, 16 & 17, from which
over high ground Soil rich - Beech Poplar &c.

a Beech 12 S 22 E 15 lks. dist.
a No. 15 S 22 E 15 lks. dist.

East On Random between Sect. 16 & 21

40.00 Set temp. of. Sec. post.

79.56 Intersected the N. & S. line 100 lks. S. of post.
over level Beech Land - Soil rich

West Corrected between Sect. 16 & 21.

23.00 a Beech 8 in. dia.

39.78 Set of. Sec. post. at average dist. from which
a Beech 12 in. dia. bears S 6 E 22 lks. dist. &
a No. 15 " " " N 9 W 30 " "

79.56 to Section Corner

North Between Sect. 16 & 17

40.00 Set of. Sec. post. from which
a Elm 20 in. dia. bears S 72 1/2 E 11 lks. dist. &
a B. Oak 30 " " " N 18.75 W 35 " "

43.45 a Beech 20 " "

80.00 Set post Cor. to Sect. 8, 9, 16 & 17, from which
an Elm 36 in. dia. bears N 58 1/2 E 26 lks. dist. &
a Hickory 17 " " " S 50 W 40 " "
level Beech Land Soil rich

East On Random between Sect. 9 & 16

40.00 Set temp. of. Sec. post.

67.70 a Brook 11 lks. wide course S. W.

450 S. N. R. W. E. 2. Mer. Indiana

- ch. 11/2
 78.50 a Brook 10 lks. wide course N. W.
 79.87 Intersected the N. & S. line 93 lks. S. of post.
 Over level Beech Land - Soil thin

- West Connected between Sec. 9 & 16
 1.09 a Brook course N. W.
 12.17 a Do. " S. W.
 39.93 1/2 Set of Sec. post, from which, (at average dist.)
 a Beech 14 in. dia. bears N 31 W 9 lks. dist. &
 a Do. 6 " " " S 80 1/2 E 2 1/4 " "
 79.87 to Section Corner

- North Between Sec. 8 & 9
 15.20 a Hickory 25 in. dia.
 25.50 a Brook 16 lks. wide course S. W.
 40.00 Set of Sec. post, from which
 a Beech 10 in. dia. bears S 10 W 29 lks. dist. &
 a Do. 14 " " " N 31 E 14 " "
 75.50 a Brook 10 lks. wide course W.
 80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
 a Beech 10 in. dia. bears N 80 E 15 lks. dist. &
 a Do. 12 " " " S 44 W 22 " "
 Over level rich Land. good for farming - timber Beech,
 Ash B. & W. Oak &c.

- East On Random between Sec. 4 & 9
 40.00 Set temp. of Sec. post.
 79.92 Intersected the N. & S. line at the post.
 Over level Land Beech Ash &c. Soil rich

- West Connected between Sec. 4 & 9
 39.96 Set of Sec. post. at average dist. from which
 a Beech 17 in. dia. bears N 54 E 27 lks. dist. &
 a Do. 8 " " " S 4 1/2 E 5 " "
 41.56 a Beech 10 " "
 79.92 to Section Corner

451

S. N. R. 10 E. 2nd Mer. Indiana

ch. lks

North Between Sec. 4 & 5

20.40 a Beech 20 in. dia.

40.00 Set q. Sec. post. from which
a Beech 17 in. dia. bears N 83 E 30 lks. dist. &
a No. 5 " " " South 4 " "

49.00 a Brook 10 lks. wide Course W.

80.14 Intersected the N. boundary 330 lks. E. of post.
Set post Cor. to Sec. 4 & 5, from which
a Gum 18 in. dia. bears S 3 E 8 lks. dist. &
a No. 20 " " " N 40 W 3 " "
this mile over level ground Beech Oak W. & B. Oak
Ash Poplar Soil rich. Nov. 5th 1806.

North Between Sec. 31 & 32.

40.00 Set q. Sec. post. from which
a W. Oak 24 in. dia. bears S 40 W 15 lks. dist. &
a Beech 12 " " " N 34 E 19 " "

61.50 a Hickory 8 " " "

80.00 Set post Cor. to Sec. 29, 30, 31, & 32, from which
a Hickory 10 in. dia. bears S 45 E 35 lks. dist. &
a W. Oak 12 " " " N 30 W 15 " "
this mile over level Land Beech Hickory
Ash W. & B. Oak, Soil rich

East On Pradom between Sec. 29 & 32.

40.00 Set temp. q. Sec. post.

62.50 a Brook 20 lks. wide. Course S. W. rapid current

79.64 Intersected the N. & S. line at the post
over Hilly Land Broken with limestone
Soil rich Beech &c.

West Connected between Sec. 29 & 32

17.14 a Brook 20 lks. wide S. E. rapid current

39.82 Set q. Sec. post at average dist. from which
a Beech 20 in. dia. bears N 10 W 25 lks. dist. &
a Gum 24 " " " S 4 E 33 " "

452

Sp. N. E. D. Mer. Indiana

ch. l. h.

43.24 a W. Oak 36 in. dia.

79.64 to Sec. Corner

West Between Secs. 30 & 31

12.00 a W. Oak 15 in. dia.

39.40 a Brook 10 lks. wide Course S. W.

40.00 Set of Sec. post, from which
 a Beech 18 in. dia. bears N 24 E 19 lks. dist. &
 a Do. 7 " " " S 23 W 49 " "
 Land level W. Oak, Soil thin

80.46 Intersected N. boundary 58 lks. N. of post
 Set post Cor. to Secs. 30 & 31, from which
 a B. Gum 15 in. dia. bears N 42 W 25 lks. dist. &
 a W. Oak 12 " " " S 85 E 35 " "
 This 1/2 mile level thin land Hickory &c. on top of Pine

North Between Secs. 29 & 30

7.00 a W. Oak 25 in. dia. Course

40.00 Set of Sec. post, from which
 a Gum 10 in. dia. bears N 28 W 26 lks. dist. &
 a Hick. 15 " " " S 33 E 12 " "

80.00 Set post Cor. to Secs. 19, 20, 29 & 30, from which
 a Hickory 10 in. dia. bears N 45 W 20 lks. dist. &
 a Poplar 20 " " " S 38 E 12 " "

Over level land Beech Poplar &c. Soil thin

November 9th 1806

East On Pradom between Secs. 20 & 29

21.00 a Brook 20 lks. wide Course S.

40.00 a Do. 18 " " " S. W. Set temp. of Sec. post.

80.00 Intersected the N. & S. line 15 lks. N. of post.

Over Broken Land Soil rich. Beech & Poplar

West Connected between Secs. 20 & 29

40.00 Set of Sec. post, at average dist. from which
 a Lym 8 in. dia. bears N 12 W 16 lks. dist. &

453

S. N. P. 10 E. T. Mer. Indiana

Chalky

- an Ash 6 in. dia. bears S 11 N 3 lbs. dist. 4
 57.00 a Brook 18 lbs. dist. course S. W.
 59.50 a Do. 20 " " " South
 60.59 an Ash 15 in. dia.
 80.00 to Section Corner

West Between Sect. 19 & 30

11.40 a W. Oak 18 in. dia.

40.00 Set of. Sec. post, from which
 a Maple 10 in. dia. bears North 5 lbs. dist. 4
 a Beech 11 " " " S 2 N 26 " "

81.08 Intersected the W. boundary 25 lbs. N. of post.
 Set post Cor. to Sect. 19 & 30, from which
 a Beech 18 in. dia. bears S 8 N 21 lbs. dist. 4
 a Red Oak 27 " " " N 49 E 46 " "
 over level thin Land Hickory W. & B. Oak &c.
 undergrowth Hazel &c.

North Between Sect. 19 & 20

4.00 a Red Oak 36 in. dia.

40.00 Set of. Sec. post, from which
 a Beech 16 in. dia. bears N 56 E 7 lbs. dist. 4
 a Do. 7 " " " S 51 1/2 N 12 " "

45.00 a W. Oak 18 " "

80.00 Set post Cor. to Sect. 17, 18, 19 & 20, from which
 a Hickory 20 in. dia. bears N 64 E 55 lbs. dist. 4
 a Gum 17 " " " S 82 N 21 " "
 over level ground B. & W. Oak &c. Soil rich

East On Prandom between Sect. 17 & 20

27.00 a Brook 13 lbs. wide S. 45 E.

40.00 Set temp. of. Sec. post.

79.50 Intersected the N. & S. line 50 lbs. N. of post.
 over high Land B. & W. Oak &c. rich Soil

West Connected between Sect. 17 & 20

454 *St. N. R10 E. 2^d. Mer. Indiana*

ch. lby

12.00 a Beech 11 in. dia.

39.75 $\frac{1}{2}$ Set of. Sec. post, at average dist. from which
a Beech 8 in. dia. bears N 35 E 3 lks. dist. &
a No. 7 " " " S 33 $\frac{1}{2}$ W 15 " "

52.50 a Brook course S. 85 E.

79.50 to Section Corner

Nest Between Secs. 18 & 19

11.75 a Maple 15 in. dia.

40.00 Set of. Sec. post, from which
a Gum 8 in. dia. bears N 65 E 13 lks. dist. &
a Beech 18 " " " S 59 W 19 " "

75.40 a Brook course S.

81.84 Intersected the W. boundary 58 lks. N. of post
Set post Cor. to Secs. 18 & 19, from which
a Beech 18 in. dia. bears N 62 W 21 lks. dist.
a No. 20 " " " S 20 E 11
Land level Beech &c. Soil rich

North Between Secs. 17 & 18.

17.65 a Beech 15 in. dia.

40.00 Set of. Sec. post, from which
a Poplar 8 in. dia. bears N 20 E 15 lks. dist. &
a No. 13 " " " S 41 W 14 " "

80.00 a Beech 12 in. dia. Cor. to Secs. 17, 18, from which
a W. Oak 36 in. dia. bears N 21 W 46 lks. dist. &
a Beech 6 " " " S 59 E 10

first $\frac{1}{2}$ mile level & very thickly B. Jack W. Oak
undergrowth Hazle Birch &c. last $\frac{1}{2}$ Beech
thin Soil. November 10th 1806

East On Pradoun between Secs. 8 & 17

31.50 a Brook 16 lks. wide course S.

40.00 Set Temp. of. Sec. post.

79.24 Intersected the N. & S. line 100 lks. N. of post.
Over level ground timber Beech W. Oak &

455

List REED^d Mer. Indiana
ch. lks
 and B. Oak Soil thin.

West Corrected between Sect. 8 & 17
 39.62 Set qf. Sec. post. at average dist. from which
 a Beech 12 in. dia. bears S 4 E 17 lks. dist. &
 a Maple 15 " " " N 7 W 21 " "
 47.66 a Beech 12 " "
 47.74 a Beech 10 lks. wide Course South
 79.24 to Section Corner

West Between Sect. 7 & 18
 9.50 a Gum 30 in. dia.
 40.00 Set qf. Sec. post. from which
 a Gum 15 in. dia. bears S 80 W 11 lks. dist. &
 a Beech 10 " " " N 68 E 54 " "
 82.55 Intersected the W. boundary 122 lks. N. of post
 Set post Corner to Sect. 7 & 18, from which
 a Poplar 36 in. dia. bears S 28 E 12 lks. dist. &
 a Beech 12 " " " East 1/2 " "
 this 1/2 mile over level beech Land, last 1/2 mile
 over high rich Land timber Beech Ash W. & B.
 Oak &c. 2^d rate Land-

North Between Sect. 7 & 8
 22.50 a Beech 18 in. dia.
 40.00 Set qf. Sec. post. from which
 a Beech 15 in. dia. bears S 60 W 26 lks. dist. &
 a W. 17 " " " S 84 E 11 " "
 80.00 Set post Cor. to Sect. 5, 6, 7 & 8, from which
 a Hickory 10 in. dia. bears N 75 W 5 lks. dist. &
 a W. Oak 16 " " " S 67 E 35 " "
 Over high rich Land Beech Poplar W. & B. Oak &c.
 a few grape vines up almost every tree

East On Brandon between Sect. 5 & 8
 40.00 Set temp. y. qf. Sec. post.

456 T. N. R. 10 E. 2nd Mer. Indiana

ch. 2. 1/2

79.67 Intersected the N. & S. line 75 lks. N. of post
over high Land B. & W. Oak Soil rich

West Connected between Sec. 5 & 8

39.83 Set of. Sec. post. at average dist. from which
a Beech 16 in. dia. bears N. 5.45' E 23 lks. dist. &
a No. 8 " " " S 1 1/2 E 26 " "

46.23 an Ash 12 " "

79.67 to Section Corner

West Between Sec. 6 & 7

5.10 a Beech 30 in. dia.

6.50 a Brook 18 lks. wide Course S. W.

40.00 Set of. Sec. post. from which
a Beech 18 in. dia. bears N 26 W 29 lks. dist. &
a No. 8 " " " S 4 W 20 " "

83.09 Intersected the W. boundary 186 lks. N. of post.
Set post Cor. to Sec. 6 & 7, from which
a Gum 18 in. dia. bears N 38 1/2 E 19 lks. dist. &
a Beech 8 " " " S 42 W 11 " "
Land level Beech &c. Soil rich

November 11th 1806

North Between Sec. 5 & 6

7.50 a Brook 18 lks. wide - up said Brook 450 lks. S. 10 W.

32.06 a Poplar 45 in. dia.

40.00 Set of. Sec. post. from which
a Beech 20 in. dia. bears S 31 E 40 lks. dist. &
a No. 30 " " " N 50 W 40 " "

78.00 Intersected the N. boundary 333 lks. E. of post.
Set post Cor. to Sec. 5 & 6, from which
a Beech 17 in. dia. bears N 22 W 6 lks. dist. &
a No. 25 " " " S 6 E 43 " "

Over level rich Land Beech Poplar Gum Ash
Hickory W. & B. Oak &c.

ch 24
T4 N 10 E 2nd Mer. Indiana 457

Surveyed By/
John Brownson,
Deputy Surveyor

I certify that the foregoing transcript of field notes
of Township N. 4. North, of Range N. 10 East 2nd
Mer. Indiana, has been compared with the origin-
al notes in this Office, and found to be correct.
Surveyor General's Office
Cincinnati, Nov. 23rd 1842

William Johnston
Sur. Genl.

* Note, the following line was left out of its proper place, by the carelessness of the Transcriber.

West On S. boundary of Sec. 31, T5 N. R10 E.

21.00 a Brook 10th wide Course South

40.00 Let timber of Sec. post

80.00 Let timber. Lower corner

Land timber &c. same as on line betw. 5 & 32